


VX SERIES



MISSION





OVERVIEW

AFFORDABLE MISSION PERFORMANCE.

MISSION VX LOUDSPEAKERS OFFER STARTINGLY ENERGETIC ACOUSTIC PERFORMANCE FROM A UNIQUE COMBINATION OF ADVANCED DRIVE UNITS AND SOLID CABINET DESIGNS, ALL AT AN ASTONISHINGLY AFFORDABLE PRICE. THE FULL VX RANGE INCLUDES MATCHING CENTRE AND SURROUND SPEAKERS MAKING YOUR CHOICE FOR STEREO OR AV SYSTEMS SIMPLE.



TECHNOLOGY

NO CORNERS CUT.

AFFORDABILITY DOES NOT MEAN THAT MISSION ENGINEERS HAVE CUT CORNERS ON THE TECHNOLOGY IN THESE SPEAKERS. MISSION'S DIADRIVE BASS UNITS FEATURE TWIN LAMINATED FIBRE CONES COATED WITH A SUPERIOR DAMPING LAYER THAT YIELDS AMAZING CLARITY TO VOCALS AND INSTRUMENTS. TREBLE FREQUENCIES ARE HANDLED BY AN ADVANCED VERSION OF MISSION'S VIOTEX FABRIC DOME, HERE FITTED WITH A PHASE RING BORN OUT OF THE RESEARCH ON THE HIGH END SX SERIES.





TECHNOLOGY

ABR BASS EXTENSION.

THE FLOORSTANDING MODELS USE ABRS (AUXILIARY BASS RADIATORS) TO OFFER OUTSTANDING BASS EXTENSION AND DYNAMIC PUNCH WITHOUT THE DISTORTION FROM AIR TURBULENCE OFTEN EXPERIENCED IN PORTED LOUDSPEAKERS.

AS YOU WOULD EXPECT FROM MISSION'S ADVANCED RESEARCH FACILITIES, THE SPEAKER CROSSOVERS BLEND THESE DRIVE UNITS TOGETHER SEAMLESSLY USING PHASE OPTIMISED ACOUSTIC BUTTERWORTH 3RD ORDER SLOPES. THE RESULT IS A DYNAMICALLY ENGAGING LISTENING EXPERIENCE THAT BRINGS MUSIC TO LIFE IN YOUR LIVING SPACE.





DESIGN

STYLE AND PERFORMANCE.

MISSION LOUDSPEAKERS HAVE ALWAYS BEEN KNOWN FOR ELEGANCE AND STUNNING PERFORMANCE, PROVEN IN LISTENING TESTS AND REVIEWS ALIKE. AVAILABLE IN BLACKWOOD, ROSEWOOD AND WALNUT, THE VX SERIES CAPTURES MISSION'S ETHOS IN A MODERN DESIGN AT AN ALL NEW PRICE THAT ACHIEVES A JOYFUL LISTENING EXPERIENCE.









SPECIFICATIONS



MODEL	VX-C	VX-S
GENERAL DESCRIPTION	CENTRE CHANNEL	BOOKSHELF
ENCLOSURE TYPE	SEALED BOX	SEALED BOX
BASS DRIVER	2 X 90MM BLACK PULP FIBRE	90MM BLACK PULP FIBRE
PASSIVE DRIVER		
TREBLE DRIVER	25MM SILK DOME	25MM SILK DOME
AV SHIELD	YES	NO
SENSITIVITY	86 DB	84 DB
RECOMMENDED AMP POWER	20 - 100W	10 - 30W
PEAK POWER HANDLING	100W	30W
PEAK SPL	104 DB	96 DB
NOMINAL IMPEDANCE	6 OHMS	6 OHMS
MINIMUM IMPEDANCE	4.4 OHMS	4.3 OHMS
FREQUENCY RESPONSE	90 HZ - 20 KHZ	100 HZ - 20 KHZ
BASS EXTENSION	68 HZ	90 HZ
DIMENSIONS	162 X 196 X 162 MM	252 X 147 X 160 MM
WEIGHT	4.5 KG	2.6 KG



MODEL

VX-1

VX-2

GENERAL DESCRIPTION

BOOKSHELF

BOOKSHELF

ENCLOSURE TYPE

BASS REFLEX

BASS REFLEX

BASS DRIVER

90MM BLACK PULP FIBRE

130MM BLACK PULP FIBRE

PASSIVE DRIVER

TREBLE DRIVER

25MM SILK DOME

25MM SILK DOME

AV SHIELD

NO

NO

SENSITIVITY

84 DB

85 DB

RECOMMENDED AMP POWER

15 - 35W

20 - 60W

PEAK POWER HANDLING

40W

60W

PEAK SPL

96 DB

100 DB

NOMINAL IMPEDANCE

6 OHMS

6 OHMS

MINIMUM IMPEDANCE

4.3 OHMS

4.3 OHMS

FREQUENCY RESPONSE

75 HZ - 20 KHZ

65 HZ - 20 KHZ

BASS EXTENSION

66 HZ

55 HZ

DIMENSIONS

252 X 199 X 160 MM

297 X 264 X 190 MM

WEIGHT

3 KG

5 KG



SPECIFICATIONS



MODEL	VX-3	VX-4
GENERAL DESCRIPTION	FLOOR STANDING	FLOOR STANDING
ENCLOSURE TYPE	BASS REFLEX	BASS REFLEX
BASS DRIVER	130MM BLACK PULP FIBRE	150MM BLACK PULP FIBRE
PASSIVE DRIVER	3 X 130MM BLACK PULP FIBRE	3 X 150MM BLACK PULP FIBRE
TREBLE DRIVER	25MM SILK DOME	25MM SILK DOME
AV SHIELD	NO	NO
SENSITIVITY	84 DB	87 DB
RECOMMENDED AMP POWER	20 - 80W	20 - 100W
PEAK POWER HANDLING	80W	100W
PEAK SPL	105 DB	105 DB
NOMINAL IMPEDANCE	6 OHMS	6 OHMS
MINIMUM IMPEDANCE	4.8 OHMS	4.6 OHMS
FREQUENCY RESPONSE	65 HZ - 20 KHZ	62 HZ - 20 KHZ
BASS EXTENSION	55 HZ	53 HZ
DIMENSIONS	975 X 397 X 308 MM	1075 X 443 X 330 MM
WEIGHT	12 KG	15 KG





WWW.MISSION.CO.UK

